# :: FERTILIZER SPREADERS

Gardening







# Single disc fertilizer spreader Working width from 6 to 18 m





### Single disc centrifugal fertilizer spreader with steel hopper

Models	Capacity (I)	Maximum load (kg)	Weight (kg)	Length (cm)	Width (cm)	Height (cm)
XL 300	250	400	56,5	118	113	104
XL 500	350	400	60	124	123	114

**All models are equipped with:** Plastic hopper and stainless steel bottom – Standard filtering grid – PTO shaft

OPTIONALS: Articulated agitator — Deflector for salt/sand — Stainless steel spreading disc — Mechanic remote control (length = 2,5 m) — Oil hydraulic drive — Fertilizer conveyor — Dual fertilizer conveyor

## **OPTIONALS**





Oil hydraulic drive Fertilizer conveyor

Dual fertilizer conveyor



#### **Trade fairs and events**

We take part in numerous trade fairs and events throughout the world. Also on these occasions we are delighted to furnish you with thorough and tailored advice and information about our entire machinery range. We are proud to be found in specialist magazines of the sector. Have a look at our schedule on our website www.agrex.com and come and visit us.

It will be a pleasure to meet you in the very near future!



#### **Quick and safe dispatches**

All our machines are designed to be easily transported by TIR trucks and containers. Our packaging has been studied to guarantee that the components reach their destination intact, even when they have to be transferred from one means of transport to another or are subject to lengthy layovers. Our AGREX logistics department is at your complete disposal for guaranteed fast and safe worldwide transport.

Area agent:

AGREX S.p.A.

Via Balla, 55-57

35010 – Villafranca Padovana (PD) – ITALY

Tel.: +39 049 50 00 000 Fax: +39 049 90 75 524 email: info@agrex.com

