The New Series 4

1

TP

.

a Anima

T68 | T78



Seamless fusion of technology and design

No task is too challenging for Series 4 tractor. Experience its impressive performance and convenience features.

The New Series 4 **T68 | T78**



Meet the future tractor with advanced technology

Innovative technology will provide owners with great satisfaction. The robust powertrain of Series 4 ensures high reliability and its driver-focused comfort systems lead the trend.

Wireless charger and cup warmer & cooler (T68SC/T78SC)

These provide comfort and pleasant working conditions even during long hours of operation.

4-port rear hydraulic valves

The 4-port valve on the rear of the tractor allows easy control of implements with different functions.



Electronic hydraulic control system with BOSCH

The German-engineered electronic hydraulic control system, equipped with BOSCH technology, enables easy control of attachments and hydraulic functions such as auto PTO, back-up, 4WD, and sensitivity controls.



External hitch control buttons (LH/RH)

Simplify attachment and detachment of implements with the convenient buttons located on the left and right fenders.



FAST & EASY

The comfort of the cabin space is crucial for ensuring operational efficiency. That's why we applied a simple and easy-to-use control system to The New Series 4. Additionally, a variety of interior convenience features create a driver-oriented cabin space.



Designed premium cabin to provide an efficient workspace for high-intensity tasks

Enjoy precise and efficient work with intuitive and user-friendly controls, and experience easy driving and exciting operation in the Series 4 tractor's premium cabin with an array of top-notch features.

Comfortable suspension seat

Enhanced cabin comfort to reduce fatigue during long hours of operation. Experience a smooth ride and ergonomic design.

Electronic organ-type pedal

It helps more delicate operation with less stepping force. Relieves foot fatigue when driving for a long time.



Bluetooth stereo

Enjoy driving while listening to your favorite music or radio via Bluetooth stereo.



LED interior light

Bright, long-life LED interior light is applied, so you can work comfortably and safely at night.

Sun visor (T68SC/T78SC)

It ensures maximum visibility by preventing sun glare during daytime operation.









Experience German engineering with our high-performance Deutz engines, delivering exceptional productivity and efficiency

Built with precision German engineering, Deutz engines offer high power and torque, even at low RPMs. Their longer lifespans and high reliability make them an ideal choice to boost productivity.



Maximizes work efficiency through excellent functionality and expands the working range

It provides the most efficient work performance even in various soil and field conditions. Work efficiency can be maximized with various auxiliary specifications.





T-vision LED headlamp

It provides a bright, wide field of vision and low glare for comfortable and safe work during nighttime.

Side - Rear work lights

Work lights are located on the sides and rear of the tractor to allow the operator to safely enter and exit.



Differential lock system

A pedal operation locks power to both rear wheels for increased traction in heavy, muddy or wet or snowy conditions.

Electronic hydraulic lift control

Effortlessly adjust lift arm height with a convenient control knob. Experience one-touch lowering and stopping.

l Power shuttle (T68SC/T78SC)

The power shuttle lever enables easy forward and reverse shifting.



PTO cruise buttons

Activate PTO cruise by pressing RPM SET button while PTO switch is ON, automatically setting engine RPM to 2,200. Cancel PTO cruise by pressing RPM SET button again, clutch pedal, or turning OFF PTO switch.

External hydraulic levers

Ergonomic levers on the right side for easy operation. Simultaneously operate various attachments with convenience.

Battery shut-off switch

This switch is applied to prevent battery discharge during long-term storage of the tractor.



Engine	T685M	T685C	T785M	T785C
Engine manufacturer	Deutz TCD2.9L4	Deutz TCD2.9L4	Deutz TCD2.9L4	Deutz TCD2.9L4
Engine power	67 HP / 50kW	67 HP / 50kW	74 HP / 50kW	74 HP / 50 kW
Rated engine speed	2,330 RPM	2,330RPM	2,330 RPM	2,330 RPM
Fuel tank capacity	70L	70L	90L	90L
	102	, or		
Powertrain Transmission tuno	Synchro-Shuttle	Power-Shuttle	Synchro-Shuttle	Power-Shuttle
Transmission type	F24xR24	F24xR24		
No. of speeds Max. traveling speed	39.1 km/h	39.1km/h	F16 x R16 (Cteep interlock) 39.7km/h	F16 x R16 (Cteep interloc 39.7km/h
	23.1 KIII/II	59.1KIII/II	39.7KIII/II	39.7KIII/II
Hydraulic system				
Hitch lift capacity	1937kg	1937kg	2320kg	2320kg
No. of hydraulic remote valves	4 / 4	4 / 4	4 / 4	4 / 4
PTO				
РТО Туре	Independent	Independent	Independent	Independent
PTO Power	62.5 HP/ 46.0 kW	62.5 HP/ 46.0 kW	66.1 HP/ 48.6 kW	66.1 HP/ 48.6 kW
PTO Rear (or PTO Speed)	540 / 750 / 1,000 RPM	540 / 750 / 1,000 RPM	540 / 750 RPM	540 / 750 RPM
Tire specifications				
Agricultural – Front / Rear	11.2-20 / 14.9 - 30	11.2-20 / 14.9 - 30	11.2-24/16.9-30	11.2-24/16.9-30
Dimensions & Weights				
Length x Width x Height	3952 x 1840 x 2615mm	3952 x 1840 x 2615mm	4002 x 1940 x 2664mm	4002 x 1940 x 2664mm
Wheelbase	2150mm	2150mm	2188mm	2188mm
Min. ground clearance	435mm	435mm	465mm	465mm
Weight	2520kg	2520kg	2745kg	2745kg
Convenience features				
cup warmer & cooler	Х	0	Х	0
Wireless charger	X	0	X	0
Sun visor	X	0	X	0
Electronic organ-type pedal	0	0	0	0
Battery shut-off switch	0	0	0	0
Work function				
External hitch control buttons (LH/RH)	0	0	0	0
4WD (Hydraulic type)	0	0	0	0
Creep speed	0	0	0	0
Back-up	0	0	0	0

Designed for your world

TYM creates tractors that bring together alluring form, advanced function and accessible value. Through Korean expertise in design, engineering and manufacturing, the company helps owners overcome every obstacle as they shape the world around them. Headquartered in Korea with distribution across North America, Europe and Asia, and assembly operations in the USA. TYM has been empowering customers for over 70 years.

The color of the product in the photo of this brochure may slightly differ from the actual vehicle due to printing process.
Product specifications are subject to change without prior notice for quality improvement purpose.
Some specifications may vary from the models available for sale.



